



District-Scale Lithium & Critical Minerals Exploration in Nevada, USA



North Elko Lithium Project (NELP)

April 2026

pelotonminerals.com

CSE: **PMC**

OTCQB: **PMCCF**

Forward-Looking Statement

Cautionary Statement on Forward-Looking Information & Statements

The following presentation may include certain “forward-looking statements” within the meaning of the United States Private Litigation Reform Act of 1995 and applicable Canadian Securities Laws. All statements, other than statements of historical fact, included in the presentation, including, without limitation, statements regarding potential mineralization resources and reserves, exploration results, and future plans and objectives of Peloton Minerals Corporation (the “Company”) are forward-looking statements. Words such as “expect”, “anticipate”, “estimate”, “may”, “will”, “should”, “intend”, “believe” and other similar expressions are forward-looking statements. Forward-looking statements are not guarantees of future results and conditions but rather reflect our current views with respect to future events and are subject to risks, uncertainties, assumptions and other factors, and actual results and future events could differ materially from those anticipated in such statements. There can be no assurance that such forward-looking statements will prove to be accurate.

Some of the important factors that could cause actual results to differ materially from our expectations are disclosed under the heading “Risk Factors” and elsewhere in documents filed from time to time with the Canadian provincial securities regulators. We base our forward-looking statements on information currently available to us and we do not assume any obligation to update them, except as required by law.

An additional Cautionary Note to Investors – In the event that we use certain terms in this presentation, such as “resource”, “measured resource”, “indicated resource” and “inferred resource”, U.S investors are cautioned that, while such terms are recognized and required by Canadian Securities Laws, the United States Securities and Exchange Commission does not recognize them. Under U.S. standards, mineralization may not be classified as a “reserve” unless the determination has been made that the mineralization could be economically and legally produced or extracted at the time the reserve determination has been made. U.S. investors should not assume that all or any part of measured or indicated resources will ever be converted into reserves. In addition, “inferred resources” have a great amount of uncertainty as to their existence and as to whether they can be mined legally or economically. Accordingly, information concerning descriptions of mineralization in this presentation may not be comparable to information made public by companies that are subject to the SEC’s Industry Guide 7.

Qualified Person

Richard C. Capps, PhD, is the qualified person under National Instrument 43-101 that has approved the technical information contained within this website. Mr. Capps is the Company's Senior Geologist and a Director.

Project Snapshot

Project Scale & Ownership

20 sq. miles (53 sq. km)



642 claims · 100% owned · Royalty free · Nevada location

Contiguous claim block on flat terrain in a paleolake clay basin. **Similar geologic setting to adjacent Surge Battery Metals' 11.24 Mt LCE resource.** Easy access, nearby infrastructure.

U.S. Critical Minerals Exposure



Multiple strategic minerals confirmed in a single Nevada asset. Metallurgical test work underway on recovery pathways. Aligned with U.S. supply security & defense priorities.

Lithium

Rubidium

Cesium

Rare Earths

Uranium

Exploration Progress

- **4 drill holes:** mineralized to 500+ ft over 4 miles x 2 miles
- **Soil geochemistry:** elevated lithium, rubidium & cesium
- **tTEM geophysics:** underlying clay layer across property
- **XRD:** 129 mineral types from 1000+ samples
- **Hyperspectral:** clay mapped property-wide
- **2026:** est. 10,000+ ft drilling · Met test work · 3D modelling

Nevada Lithium Clay Comparables

Company	Grade	Resource	Stage	Market Cap
Lithium Americas (Thacker Pass)	2,230 ppm	44.3 Mt LCE	Build	C\$1.97B
Ioneer (Rhyolite Ridge)	1,731 ppm	260 Mt LCE	Build	C\$450M
Surge Battery (NNLP)	3,010 ppm	11.24 Mt LCE	PEA	C\$130M
Century Lithium (Angel Island)	966 ppm	11.24 Mt LCE	FS	C\$104M
Peloton (NELP - Adjacent to Surge)	TBD	TBD	Drill	C\$14M

Capitalization and Market Information

Recent Share Price

C\$0.1050

February 10, 2026

52 Week Low-High

C\$0.0650

C\$0.3050

Shares Outstanding

152 million

Market Capitalization


C\$14 million



Ownership

- Management & Close Holders 30%
- Core Shareholders 30%
- Other Retail 40%

**+60%
closely held**



CSE: PMC

OTCQB: PMCCF

Financings

- May 2024 - \$1 million @ \$0.09
- Nov 2025 - \$1 million @ \$0.09

North Elko Lithium Project (NELP)

NELP is located adjacent to the Surge Battery Metals discovery of the highest grade, district scale lithium in claystone resource in North America.



Project Scale & Geology

District-scale project (20 sq. mi / 53 sq. km) in a paleolake basin environment. Same geologic environment as Surge.



Ownership & Structure

100% owned with no royalties outstanding.



High Prospectivity

Highly prospective for economic concentrations of lithium, rubidium, and cesium.



Operations & Logistics

Easily accessed, close to infrastructure, and operated by a cohesive Nevada exploration team.



Quality U.S. Projects Key to Closing Supply Gap

U.S. Demand Forecast

+400,000 tonnes LCE in 2030

Diversity of supply is critical for U.S./CAEV markets.

Thacker Pass (Nevada)

\$3.9 Billion invested

GM and the U.S. DOE have invested into Lithium America's Thacker Pass Project.

Rio Tinto bullish on Lithium

\$6.7 Billion purchase


of Arcadium Lithium & \$900 Million Marichunga JV with Codelco.



China controls ~67% of global lithium supply

Source: IEA Lithium Report, May 2024

Lithium Market Balance (tonnes LCE)* 2015 – 2040




Lithium Mine Production (tonnes) 2022

Rank	Country	Amount	Share
1	Australia	61,000	45.2%
2	Chile	39,000	28.9%
3	China	19,000	14.1%
4	Argentina	6,200	4.6%
5	USA	5,000	3.7%
6	Brazil	2,200	1.6%
7	Zimbabwe	800	0.6%
8	Portugal	600	0.4%
9	Bolivia	540	0.4%
10	Canada	500	0.4%
Total Top 10		134,840	100.0%

Nevada Lithium Clay Districts Drive U.S. Supply

Company	Market Cap	Stage	Avg Grade	M&I Resources	OPEX Est.	Mine Life	Partners / Notes
Lithium Americas	C\$1.97B	Mine Under Construction	2,230 ppm Li	44.5 Mt LCE	US\$6,238 p/t LCE	85 years	GM (US\$1B), DOE (US\$2.6B)
Ioneer	C\$450M	Mine Under Construction	1,731 ppm Li	260 Mt LCE	US\$5,745 p/t LCE	95 years	Ford (US\$700M), DOE (US\$1B)
SURGE BATTERY METALS	C\$130M	PEA Stage	3,010 ppm Li	11.24 MT LCE (Inferred)	US\$5,097 p/t LCE	42 years	Strategic Partner - TBA
CENTURY LITHIUM	C\$104M	Feasibility Study	966 ppm Li	5.582 Mt LCE	US\$4,389 p/t LCE	40 years	—
PELTON MINERALS CORPORATION	C\$14M	Drilling Stage	TBD	—	—	—	- Adjacent to Surge - 20 sq. mi clay target - Paleolake Basin



Peloton's Systematic Exploration Approach

Completed Since 2024

- ✓ **Hyperspectral Data** reprocessing and geologic analysis
- ✓ **Land Acquisition:** Total 642 claims staked (20 sq. miles / 53 sq. km)
- ✓ **Field Work:** Prospecting, sampling, and grid soil geochemistry survey
- ✓ **Technical Mapping:** Geologic mapping and X-Ray Diffraction (XRD) analysis
- ✓ **Geophysics:** tTEM surface survey, airborne magnetics, radiometric, and VLF-EM
- ✓ **Infrastructure:** Drill permitting and mobilization

Strategic Technical Results

Surface Analysis

Hyperspectral data **confirms clay-bearing layers across the entire property.** Soil geochemistry shows lithium anomaly 18x+ background over 9.65 sq. miles (25 sq. km).

Geologic Setting

NELP sits within an alkaline paleolake basin in a structural graben bounded by northerly-striking normal faults.

Mineralogy & Geophysics

XRD shows bedded alkaline lake sediments and volcanoclastic rocks **similar to Surge's environment.** tTEM geophysics suggests a clay-rich layer across the entire property.

Drilling Confirmation

Drilling proved the paleolake basin hosts a thick clay layer that is mineralized, with volcanic rock mineralogy consistent with magmas as likely lithium sources.




Four widely spaced drill holes in 2025 confirmed the underlying clay bed is mineralized with anomalous **lithium, rubidium, cesium, and other critical minerals.**

Hyperspectral UV Data

Hyperspectral UV data across the Peloton property identifies pixels representing outcrops of a near-surface clay layer containing critical lithium-bearing minerals: smectite, hectorite, and illite.

This suggests that a clay layer underlies the entire property, over 20 sq. miles (53 sq. km).

Subsequent geophysics and drilling confirmed the presence of a thick clay layer underlying the entire property that is mineralized.



Soil Geochemistry (Li)

Soil geochemistry surveys across the Peloton property have identified an **elevated lithium anomaly** extending over approximately 9.65 sq. miles (25 sq. km), as well as elevated rubidium and cesium.

2026 soil geochemistry survey pending across southern claim blocks (staked post-northern survey completion).


Refer to appendix for rubidium and cesium distribution plots.

Peak lithium values up to **18x background levels** across a 9.65 sq. mile surface anomaly

Legend

● 50 to 370 ppm Li

Background Lithium is 20 ppm



LEGEND

NELP_SOILS (ppm)

Li

- 5 - 40
- 41 - 74
- 75 - 120
- 121 - 218
- 219 - 347


— Roads & tTEM traverse

▭ Peloton Claims Border

Two categories of lithium minerals and enrichment*


Lithium Bearing Alteration Minerals (hectorite, illite, others)

Highly alkaline (high pH) hot water circulates within the basin and leaches lithium from the volcaniclastic rocks lithium-bearing alteration minerals.



Primary Lithium Magma Minerals (alkaline rhyolites & melts)


Primary lithium-bearing magma extrudes into the closed basin or lake and hydrothermal circulation helps to enrich the basin bed with lithium.



*Over 1000 samples from NELP were analyzed by Capps Geoscience Ltd. using XRD, identifying the presence of 129 different mineral types to date

Airborne Magnetics

Airborne magnetic survey data combined with hyperspectral imaging, Surge drill holes, and Peloton drill pads reveals prominent northwest-oriented structures.




tTEM Was Used Successfully by Surge and LAC to Map Clay Layers Buried by Upper Stratigraphy

The tTEM unit is towed behind an ATV or truck and reads straight down to a depth of about 300 feet.



Blue lines represent roads surveyed using tTEM geophysics across a 20 sq. miles (53 sq. km) survey area.


All surveyed roads returned an underlying layer interpreted as clay.



Near-Surface Clay Layer Identified Over 4.4 Miles (7km) Strike Length Through the Heart of the Property

Cross Section of the Surveyed Road

Location of the Surveyed Road Highlighted in Green



2025 Maiden Drill Program Success



Scale Confirmation

Mineralized clay bed confirmed to 500ft depth across an area 4 miles x 2 miles (7km x 3.5km)



Lithium Potential

Establishes that NELP is fertile for lithium as well as other critical minerals (including rubidium, cesium, rare earths and uranium).




Geological Data

Provides data on orientation and stratigraphy of the underlying clay bed.



Result Highlight


Hole 3 intersected up to **1155 ppm Li** on strike from the Surge Li deposit




Surge Lithium Zone is Oriented NW – SE and Open to the SE

Surge drilling is stepping toward Peloton Hole 3

- Hole 3 intersected up to **1155 ppm Li** on strike from the Surge Li deposit
- Hole 3 was stopped at 500 feet, still in clay mineralization



NELP Claim Outline Superimposed on LAC Resource*



Peloton's NELP claims cover a significant land position of 20 sq. miles (53 sq. km), providing substantial exploration upside. Thacker Pass (LAC) is shown for scale reference as North America's largest known lithium deposit.

Thacker Pass (LAC) Resource (in Blue)

Peloton Claim Outline (in Black)

* NELP and Thacker Pass (LAC) are separate properties in different locations. The overlay is shown for scale comparison only. Mineralization at Thacker Pass is not indicative of mineralization on Peloton's property.

Corporate Inquiries



Edward (Ted) Ellwood

President & CEO

T: 519-697-2313

Tedellwood@gmail.com

Paul Teodorovici

VP Business Development

T: 514-582-2282

Paul.Teodorovici@gmail.com

Bayline Capital Partners

Aaron Unger

Partner

T: 416-818-0050

aunger@baylinecapitalpartners.com

Investment Banker / Advisors:

IBK Capital Corp.

Michael White

President & CEO

T: 416-727-4100

mikewhite@ibkcapital.com

Auditor:

RSM, Chartered Accountants

T: (416) 480-0160

Legal:

Borden Ladner Gervais LLP

T: (403) 232-9455

Appendix

Detailed Technical Information
available at
www.pelotonminerals.com



Board of Directors and Management

John F. O'Donnell LLB, BA (Economics)	Chairman of the Board
Edward (Ted) L. Ellwood MBA	President & CEO, Director
Eric Plexman	CFO & Corporate Secretary, Director
Paul Teodorovici	VP Business Development, Director
Richard C. Capps PhD, RPG, SME Reg. Geo.	Senior Geologist, Director
Kent Britton BA (Economics)	Environmental, Director
Clifford Wiebe	Information Technology, Director



Read detailed biographies
of our team at
www.pelotonminerals.com

DRILLING NOVEMBER – DECEMBER 2025



DRILLING NOVEMBER – DECEMBER 2025




Geologic Mapping Shows* Prospective Area Bounded by Slip Faults on the East and West

Qa Quaternary alluvium	Tts Ignimbrite, tuff, & sedimentary rocks
Tr3 Phenorhyolite & phenoclastic flows & domes	Pp Pequop Fm
Ts3 Sedimentary and volcanic rocks	DOs Slaven Chert
Tjr Jarbidge Rhyolite	Peloton claims boundary


*** Compilation:**

- Elko County Digital Geology Map
- Nevada Bureau of Mines and Geology
- Peloton Geologic Mapping




Soil Geochemistry

Rubidium (Rb)



Cesium (Cs)



2026 soil geochemistry survey pending across southern claim blocks (staked post-northern survey completion)


Rubidium & Cesium



US currently obtains **100%** of Rubidium and Cesium needs from China or Russia

US & Japan have labeled Rubidium as an “emerging critical metal”

Rubidium



Uses:

- Advanced Electronics & Communication
- Energy & Battery Sector
- Military Uses
- Medical & Biomedical Applications


Demand:

- Strategically driven by high-technology and medical applications
- Photonics and quantum applications

Pricing*:

- | | | |
|--------------|--------|-------|
| • Metal | US\$/g | 128 |
| • Carbonate: | US\$/g | 1,244 |

Cesium



Uses:

- Oil & Gas
- Timekeeping & Communications
- Electronics & Optical Technologies
- Chemical & Industrial Manufacturing
- Medical & Nuclear Applications

Demand:


- Quantum applications have significant growth potential


Pricing*:

- | | | |
|--------------|--------|-------|
| • Metal | US\$/g | 98 |
| • Carbonate: | US\$/g | 2,708 |

REGIONAL GEOLOGY

The Yellowstone Hotspot is believed to be responsible for volcanic activity in Northern Nevada (16–12.5 million years ago), resulting in calderas, grabens, and lithium clay deposition.





16 Holes to Achieve Maiden Resource

37 Holes to Date

11.24 MT LCE Inferred at 3,010 Li

**Discovery costs <C\$2 per tonne LCE and
<2 years from discovery to maiden resource**

Source: Surge Battery Metals, Corporate Presentation 2025

NNLP Lithium Project PEA Overview

Surge's NNLP Lithium Project PEA Highlights* June 2025

(\$ US Dollars)

Mining & Process

Mine Life	42 years
Mining & Process	Open Pit, Acid Leach
Metallurgical Recovery	82.8%
Average Capacity	86,300 t/LCE p/Year
End Product	Lithium Carbonate

Capital Expenditure


Development Cap-X Phase 1	\$2.97 B
Cap-X Phase 2	\$2.35 B

* Surge NNLP Preliminary Economic Assessment Report, July 2025

Inferred Resource

11.24 Mt LCE

at 3,010 ppm Li



The white dotted line illustrates the extent of the NNLP Deposit. Source: Surge NI 43-101 November 2024

After Tax NPV (8% Discount)

\$9.214 B

After Tax IRR — 22.8%

Average Annual EBITDA

\$1.27 B

Payback (undiscounted)

4.7 years

Pricing & Cost

LCE Price Forecast	\$24,000 p/t
Avg Operating Cost Forecast	\$5,097 p/t LCE

Thacker Pass Overview

Thacker Pass Updated Feasibility Highlights* December 2024 (\$ US Dollars)


Mining & Process

Mine Life	85 years
Mining & Process	Open Pit, Acid Leach
Metallurgical Recovery	82.1%
Nominal Capacity	160,000 t/LCE p/Year
End Product	Lithium Carbonate

Capital Expenditure

Development Cap-X Phase 1	\$2.93 B
Cap-X Phase 2	\$9.39 B

* Lithium Americas Thacker Pass NI 43-101 Technical Report, December 31, 2024



Thacker Pass Mineral Resource Model
(Lithium in Smectite and Illitic Clays)

After Tax NPV (8% Discount)

\$5.9 B

After Tax IRR — 19.6%

Average Annual
EBITDA

\$2.2 B


Payback
(undiscounted)

5.4 years

Pricing & Cost


LCE Price Forecast	\$24,000 p/t
Avg Operating Cost Forecast	\$6,238 p/t LCE

Thacker Pass Process Flow Chart



Source: LithiumAmericas
Corporate Presentation 2023

Life cycle of a Junior Explorer



Source: Brent Cook / Kitco



For more information,
visit pelotonminerals.com

CSE: **PMC**

OTCQB: **PMCCF**

Email:
pelotonminerals45@gmail.com

Tel: (519) 964-2836
Fax: (519) 964-2701

Registered Head Office
380 Wellington Street
Tower B, 6th Floor
London, Ontario
N6A 5B5

